

EASYMOUNT WIDE FORMAT SYSTEMS









Bike Wraps













(55) 2625 2990 01800 000 CELU info@celupal.com

Sucursal Mérida (999) 946 0908

merida@celupal.com

Sucursal Toluca (722) 283 1039 (722) 437 6202 toluca@celupal.com

Sucursal Algarín (55) 5530 4456 (55) 5519 2189 algarin@celupal.com Sucursal Querétaro (422) 340 7722, 23 (422) 340 7080 queretaro@celupal.com

Sucursal Chihuahua (614) 417 0071

chihuahua@celupal.com

Sucursal Monterrey (81) 1936 6074

monterrey@celupal.com

Sucursal Puebla (222) 222 9416 (222) 222 7417

puebla@celupal.com


Sucursal Guadalajara (33) 3619 5046

🗷 guadalajara@celupal.com

Sucursal Cancún (998) 206 8489

- "My Easymount has transformed my business. I can finish the job when I'm ready, without having to call on a specialist finisher. "
- large diameter rollers
- solid heavy duty construction
- magic eye safety feature

Series qu	uick selector		M	odel suffix - Eg. EN	I-1600 DH		
Code	Maximum Film Width	Sign	Cold	Single Hot	Double Hot	SHW	
EMS-650	650mm	S	-	-	-	-	
EM-720	720mm	S	-	-	-	-	
EM-880	880mm	S	-	-	-	-	
EM-1200	1200mm	-	С	SH	DH	-	
EM-1400	1400mm	S	С	SH	-	-	
EM-1600	1600mm	S	С	SH	-	SHW*	
EM-1650	1650mm	-	-	-	DH	-	
EM-2100	2100mm	-	-	SH	-	-	



Specifications	Sign	Sign	Sign Cold	Sign Hot	Cold	Single Hot	Double Hot	SHW
	650	720/880	1400/1600	1400/1600	1200/1400/1600	1200/1400/1600/2100	1200/1650	1600
Laminating Speed (m/min)	5	3	5	5	6	6	3.9	6
Max Width (mm)	650	720/880	1420/1620	1420/1620	1200/1400/1600	1200/1400/1600/2100	1200/1650	1600
Mounting Thickness (mm)	15	15	25	25	25	25	25	25
Roller Diameter (mm)	65	70	130	130	112/112/130	112/112/130/130	112/130	130
Warm-up Time (mins)	-	-	-	10	-	10	15	15
Hot Roller Heater System	-	-	-	Infrared	-	Internal Infrared	Int. Infrared	Int. Infrared
Laminating Temperature Range (°C)	-	-	-	0-45	-	0-60	0-130	0-130
Control Panel	LED	LED	LED	LED	Digital	Digital	Digital	Digital
Pressure Adjustment	Manual	Manual	Manual	Manual	Manual/Gauge	Manual/Gauge	Man./Gauge	Man./Gauge
Film Core (mm)	77	77	77	77	77	77	77	77
Power Supply AC (V)	220/240	220/240	220/240	220/240	220/240	220/240	220/240	220/240
Power Supply Required (Amps)	13	13	13	13	13	13	32	32
Power Consumption (W)	50	50	38	1000/1200	50	970/1310/1500/1800	3950/5150	5000
Overall Dimensions - Width (mm)	850	940/1100	1846/2046	1846/2046	1790/1990/2190	1790/1990/2190/2650	1700/2170	1990
Overall Dimensions - Depth x Height (mm)	300x470	650x1250	550x1365	550x1365	650x1255	650x1255	785x1255	650x1255
Gross Machine Weight (kg)	33	65/75	136/156	136/156	185/210/245	185/210/245/280	270/365	205
Warranty	1 year	1 year	1 year	1 year	1 year	1 year	1 year	1 year

" Having our own laminator on-site is so much more cost-effective than outsourcing."

Accessories	Sign	Sign Cold / Hot	Cold	Single Hot	Double Hot	SHW
Additional Mandrels	-	•	•	•	•	•
Take-up Unit	-	S	•	•	•	•
Dust Cover	-	-	S	S	S	S



Premium Brand Laminating Supplies

"It's true that Vivid provide excellent machines, but their supplies are also second to none.
Whatever you need, they'll get it to you?"

•	Boss® premium brand pressure
	sensitive range

- various finishes available: Gloss
 Crystal Matt
 Semi-Matt (lustre)
 Sandtex
 Anti-Graffiti
- 3" core
- 100m rolls

BOSS pressure sensitive films

Film Finishes

Roll Width	Roll Length	Mount	Gloss	Crystal Matt	Flat Matt	Semi-Matt (lustro	e) Sandtex	Anti-Graffiti
650mm	50m	•	•	•	•	•	-	-
880mm	100m	S	•	•	•	•	•	-
1040mm	100m	•	•	•	•	•	-	-
1300mm	100m	•	•	•	•	•	-	•
1370mm	100m	-	•	•	•	•	-	-
1520mm	50m	•	•	•	•	•	-	•

Yes - No S Special order Non-exhaustive list. Consult us for full stock and availability.

A cut above the rest

Why waste film when we can provide you with custom rolls? Our film supplies can be tailored – literally – to suit your specific needs with the ability to log cut bespoke roll widths to your specifications.





MATRIX LAMINATING SYSTEMS



EASYMOUNT WIDE FORMAT SYSTEMS



MAGNUM BINDING SYSTEMS



MAGNUM CREASING SYSTEMS



LINEA ENCAPSULATION SYSTEMS



PEAK POUCH LAMINATING SYSTEMS



TRIMFAST TRIMMING & CUTTING SYSTEMS



BOSS FILM SUPPLIES

Vivid design and manufacture a wide range of laminating systems, specialising in function, style and reliability.

For years, we have been leading the field with our innovative product development, successfully building our brands and customer relationships that help us to introduce unique products in the marketplace.

So if you're looking to improve your finishing, start by calling us.